| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|--|---|---------------------|---------|------------------|
| S1 | 925 | (semiconductor near3 laser) and driv\$4 and (second near3 driv\$4) and control\$4 and current and modulat\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 08:24 |
| S2 | 300 | (semiconductor near3 laser) and driv\$4 and (second near3 driv\$4) and control\$4 and current and modulat\$4 and thermal\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB | AND | ON | 2005/11/01 08:45 |
| S3 | 55 | ((array or second or multi\$4 or pural\$4) near3 semiconductor near3 laser) and driv\$4 and (second near3 driv\$4) and control\$4 and current and modulat\$4 and thermal\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB | AND | | 2005/11/01 08:46 |
| S4 | 124 | ((array or second or multi\$4 or pural\$4) near3 semiconductor near3 laser) and driv\$4 and ((array or second or multi\$4 or pural\$4) near3 driv\$4) and control\$4 and current and modulat\$4 and thermal\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 09:22 |
| S5 | 80 | ((array or second or multi\$4 or pural\$4) near3 semiconductor near3 laser) and driv\$4 and ((array or second or multi\$4 or pural\$4) near3 driv\$4) and control\$4 and current and modulat\$4 and thermal\$4 | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 09:33 |
| S6 | 208 | ((array or second or multi\$4 or pural\$4) near3 semiconductor near3 laser) and (driv\$4 same (control\$4 or current)) and (driv\$4 same modulat\$4) and thermal\$4 | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 09:35 |
| S7 | 26 | ((array or second or multi\$4 or pural\$4) near3 semiconductor near3 laser) and (((array or second or multi\$4 or pural\$4) near3 driv\$4) same (control\$4 or current)) and (driv\$4 same modulat\$4) and thermal\$4 | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 10:51 |
| S8 | 14 | (((array or second or multi\$4 or pural\$4) near3 semiconductor near3 laser) same (coupl\$2 or joint or associate or combine or compound or connect or relate)) and (((array or second or multi\$4 or pural\$4) near3 driv\$4) same (control\$4 or current)) and (driv\$4 same modulat\$4) | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 10:55 |
| S10 | 3 | (Nakayama near2 Kunio).in. | US-PGPUB | AND | ON . | 2005/11/01 10:56 |
| S9 | 10 | (((array or second or multi\$4 or pural\$4) near3 semiconductor near3 laser) same (coupl\$2 or joint or associate or combine or compound or connect or relate)) and (((array or second or multi\$4 or pural\$4) near3 driv\$4) same (control\$4 or current)) and (driv\$4 same modulat\$4) | US-PGPUB | AND | ON | 2005/11/01 12:03 |
| S11 | 734 | (semiconductor near3 laser) and (current with generat\$3 with circuit) and (current with driv\$3 with circuit) and ((mount\$3 or base or coupl\$3 or joint or associate or combine or compound or connect or relate) with laser) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 12:19 |
| S13 | 425 | (semiconductor near3 laser) and (current with generat\$3 with circuit) and (current with driv\$3 with circuit) and ((mount\$3 or base or coupl\$3 or joint or associate or combine or compound or connect or relate) near4 laser) and (driv\$4 with control\$4 with current) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 12:42 |
| S12 | 491 | (semiconductor near3 laser) and (current with generat\$3 with circuit) and (current with driv\$3 with circuit) and ((mount\$3 or base or coupl\$3 or joint or associate or combine or compound or connect or relate) near4 laser) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 12:43 |

| S17 | 59 | S14 and modulat\$4 | US-PGPUB: | AND | ON | 2005/11/01 12:44 |
|-----|----|---|--|-----|----|------------------|
| 517 | | | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | | | 2007110112.44 |
| S16 | 68 | ((array or second or multi\$4 or pural\$4 or second) near3 semiconductor near3 laser) and (current with generat\$3 with circuit) and (current with driv\$3 with circuit) and ((mount\$3 or base or coupl\$3 or joint or associate or combine or compound or connect or relate) near4 laser) and modulat\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 12:44 |
| S19 | 9 | S16 not S17 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 12:52 |
| S18 | 14 | S15 not S14 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 12:52 |
| S23 | 34 | S17 and (current near3 value) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 13:03 |
| S22 | 40 | S16 and (current near3 value) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; | AND | ON | 2005/11/01 13:03 |
| S21 | 50 | S15 and (current near3 value) | IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 13:03 |
| S20 | 43 | S14 and (current near3 value) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; | AND | ON | 2005/11/01 13:03 |
| S14 | 77 | ((array or second or multi\$4 or pural\$4 or second) near3 semiconductor near3 laser) and (current with generat\$3 with circuit) and (current with driv\$3 with circuit) and ((mount\$3 or base or coupl\$3 or joint or associate or combine or compound or connect or relate) near4 laser) and (driv\$4 with control\$4 with current) | IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 13:07 |
| S15 | 91 | ((array or second or multi\$4 or pural\$4 or second) near3 semiconductor near3 laser) and (current with generat\$3 with circuit) and (current with driv\$3 with circuit) and ((mount\$3 or base or coupl\$3 or joint or associate or combine or compound or connect or relate) near4 laser) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 13:13 |
| S26 | 16 | S25 not S24 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 13:14 |

| S24 | 24 | ((array or second or multi\$4 or pural\$4 or second) near3 semiconductor near3 laser) and (current with generat\$3 with circuit) and (current with driv\$3 with circuit) and ((mount\$3 or base or coupl\$3 or joint or connect) near4 laser) and (driv\$4 with control\$4 with current) and (current near3 value) and modulat\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 13:14 |
|------------|-----|--|---|-----|----|------------------|
| S27 | 92 | ((array or second or multi\$4 or pural\$4 or second) near3 semiconductor near3 laser) and (current near4 generat\$3) and (current near3 driv\$3) and circuit and ((mount\$3 or base or coupl\$3 or joint or associate or combine or compound or connect or relate) near4 laser) and (current near3 value) and modulat\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 13:16 |
| S25 | 40 | ((array or second or multi\$4 or pural\$4 or second) near3 semiconductor near3 laser) and (current with generat\$3 with circuit) and (current with driv\$3 with circuit) and ((mount\$3 or base or coupl\$3 or joint or associate or combine or compound or connect or relate) near4 laser) and (current near3 value) and modulat\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 13:16 |
| S28 | 65 | ((array or second or multi\$4 or pural\$4 or second) near3 semiconductor near3 laser) and (current near4 generat\$3) and (current near3 driv\$3) and circuit and ((mount\$3 or base or coupl\$3 or joint or associate or combine or compound or connect or relate) near4 laser) and (current near3 value) and modulat\$4 and (driv\$4 with control\$4 with current) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 13:23 |
| S29 | 60 | ((array or second or multi\$4 or pural\$4 or second) near3 semiconductor near3 laser) and (current near4 generat\$3) and (current near3 driv\$3) and ((mount\$3 or base or coupl\$3) near4 laser) and (current near3 value) and modulat\$4 and (driv\$4 with control\$4 with current) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 13:28 |
| S32 | 74 | S31 not S30 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 13:31 |
| S31 | 137 | ((array or second or multi\$4 or pural\$4 or second) near3 semiconductor near3 laser) and (current near4 generat\$3) and (current with driv\$3) and ((mount\$3 or base or coupl\$3) near4 laser) and (modulat\$4 near3 (signal or beam or light)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 13:31 |
| S34 | 38 | ((array or second or multi\$4 or pural\$4 or second) adj2 semiconductor near3 laser) and (current near4 generat\$3) and (current with driv\$3) and ((mount\$3 or base or coupl\$3) near4 laser) and (current near3 value) and modulat\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 13:35 |
| S30 | 63 | ((array or second or multi\$4 or pural\$4 or second) near3 semiconductor near3 laser) and (current near4 generat\$3) and (current with driv\$3) and ((mount\$3 or base or coupl\$3) near4 laser) and (current near3 value) and (modulat\$4 near3 (signal or beam or light)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 14:22 |
| S36 | 17 | ((array or second or multi\$4 or pural\$4 or second) near3 semiconductor near3 laser) and (current near4 generat\$3) and (current with driv\$3) and ((mount\$3 or base or coupl\$3) near4 laser) and (current near3 value) and (modulat\$4 near3 (signal or beam or light)) and 372/38\$5.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 14:23 |
| S35 | 17 | ((array or second or multi\$4 or pural\$4 or second) near3 semiconductor near3 laser) and (current near4 generat\$3) and (current with driv\$3) and ((mount\$3 or base or coupl\$3) near4 laser) and (current near3 value) and (modulat\$4 near3 (signal or beam or light)) and 372/38\$3.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 14:23 |

| S33 | 23 | ((array or second or multi\$4 or pural\$4 or second) adj2 semiconductor near3 laser) and (current near4 generat\$3) and (current with driv\$3) and ((mount\$3 or base or coupl\$3) near4 laser) and (current near3 value) and (modulat\$4 near3 (signal or beam or light)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB | AND | ON | 2005/11/01 14:24 |
|-----|-----|--|---|-----|----|------------------|
| S38 | 13 | ((array or second or multi\$4 or pural\$4 or second) adj2 semiconductor near3 laser) and (current near4 generat\$3) and (current with driv\$3) and ((mount\$3 or base or coupl\$3) near4 laser) and (current near3 value) and (modulat\$4 near3 (signal or beam or light)) and "372"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 14:26 |
| S37 | 41 | ((array or second or multi\$4 or pural\$4 or second) near3 semiconductor near3 laser) and (current near4 generat\$3) and (current with driv\$3) and ((mount\$3 or base or coupl\$3) near4 laser) and (current near3 value) and (modulat\$4 near3 (signal or beam or light)) and "372"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 14:30 |
| S39 | | ((array or second or multi\$4 or pural\$4 or second) near3 semiconductor near3 laser) and (current near4 generat\$3) and (current with driv\$3) and ((mount\$3 or base or coupl\$3) near4 laser) and (I near2 "0" and I near2 "1" and I near2 "2") and (modulat\$4 near3 (signal or beam or light)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | | 2005/11/01 14:40 |
| S40 | 2 | ((array or second or multi\$4 or pural\$4 or second) near3 semiconductor near3 laser) and (current near4 generat\$3) and (current with driv\$3) and ((mount\$3 or base or coupl\$3) near4 laser) and ((l near4 "0" and I near4 "1" and I near4 "2") or (I"0" and I"1" and I"2")) and (modulat\$4 near3 (signal or beam or light)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 14:42 |
| S41 | 214 | (second adj2 laser) and (current near4 generat\$3) and (current near3 driv\$3) and ((mount\$3 or base or coupl\$3) near3 laser) and (modulat\$4 near3 (signal or beam or light)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB | AND | ON | 2005/11/01 14:44 |
| S44 | 179 | (second adj2 laser) and (current near4 generat\$3) and (current near3 driv\$3) and ((mount\$3 or base or coupl\$3) near3 laser) and (modulat\$4 near3 (signal or beam or light)) and (temperature or thermal\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 14:46 |
| S42 | 77 | (second adj2 laser) and (current near4 generat\$3) and (current near3 driv\$3) and ((mount\$3 or base or coupl\$3) near3 laser) and (modulat\$4 near3 (signal or beam or light)) and "372"/\$. ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/01 14:46 |
| S45 | 19 | S42 not S43 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB | AND | ON | 2005/11/02 09:34 |
| S43 | 58 | (second adj2 laser) and (current near4 generat\$3) and (current near3 driv\$3) and ((mount\$3 or base or coupl\$3) near3 laser) and (modulat\$4 near3 (signal or beam or light)) and "372"/\$. ccis. and (temperature or thermal\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 09:36 |
| L5 | 3 | 3 and 4 ت | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 10:26 |

| L2 | 3 | 372/38.02.ccls. and 372/50.12.ccls. | US-PGPUB; USPAT; USOCR; | AND | ON | 2005/11/02 10:20 |
|-----|-----|---|---|-----|----|------------------|
| | | | EPO; JPO; DERWENT; IBM_TDB | | | |
| L4 | 194 | 372/50.12.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 10:27 |
| L3 | 594 | 372/38.02.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 10:29 |
| L6 | 36 | 372/50.12.ccls. and (laser near3 driv\$4) | US-PGPUB; USPAT; USOCR; | AND | ON | 2005/11/02 10:30 |
| | | | EPO; JPO; DERWENT; IBM_TDB | | | |
| L7 | 163 | 372/38.02.ccls. and ((array or second or mult\$3 or plural\$3) near1 laser) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 11:50 |
| L8 | 163 | 372/38.02.ccls. and ((array or second or mult\$3 or plural\$3) near1 laser) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 13:1 |
| L9 | 51 | (second adj2 laser) and (current near4 generat\$3) and (current near3 driv\$3) and ((mount\$3 or base or coupl\$3) near1 laser) and (modulat\$4 near3 (signal or beam or light)) and "372"/\$. ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 13:1 |
| L1 | 77 | (second adj2 laser) and (current near4 generat\$3) and (current near3 driv\$3) and ((mount\$3 or base or coupl\$3) near3 laser) and (modulat\$4 near3 (signal or beam or light)) and "372"/\$. ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 13:1 |
| L14 | 159 | ((array or second) near3 laser) and (current near4 generat\$3) and (current near3 driv\$3) and ((mount\$3 or base or coupl\$3) near2 laser) and (modulat\$4 near3 (signal or beam or light)) and "372"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 14:04 |
| L10 | 161 | (second adj2 laser) and (current near4 generat\$3) and (current near3 driv\$3) and ((mount\$3 or base or coupl\$3) near1 laser) and (modulat\$4 near3 (signal or beam or light)) | US-PGPUB; USPAT; USOCR; EPO;JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 14:0 |
| L13 | 43 | ((array or second) near3 laser) and (current near4 generat\$3) and (current near3 driv\$3) and ((mount\$3 or base or coupl\$3) near2 laser) and (modulat\$4 near3 (signal or beam or light)) and "372"/\$38.02.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 14:0 |

•

| L15 | 37 | ((array or second) near3 laser) and (current near4 generat\$3) and (current near3 driv\$3) and ((mount\$3 or base or coupl\$3) near2 laser) and (modulat\$4 near3 (signal or beam or light)) and "372"/38.02.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 14:14 |
|-----|-----|---|---|-------|-----|------------------|
| L16 | 35 | ((array or second) near3 laser) and (current near4 generat\$3) and (current near3 driv\$3) and ((mount\$3 or base or coupl\$3) near2 laser) and (modulat\$4 near3 (signal or beam or light)) and (laser near3 driv\$4) and "372"/38.02.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 14:57 |
| L18 | 156 | ((array or second) near3 laser) and (current near2 generat\$3) and ((current or circuit) near2 driv\$3) and ((mount\$3 or base) near2 laser) and (modulat\$4 near2 (signal or beam or light)) and (laser near3 driv\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 14:58 |
| L19 | 142 | 18 not 17 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND . | ON | 2005/11/02 15:03 |
| L20 | 98 | (("(4773044") or ("4440247") or ("4460534") or ("4630120") or ("5732171") or ("5910927") or ("6163283") or ("4319347") or ("4791615") or ("4819209") or ("4962381") or ("4965775") or ("5177827") or ("5243238") or ("5349670") or ("5355013") or ("5406066") or ("5483500") or ("5493307") or ("5663930") or ("5672894") or ("5748235") or ("5835062") or ("6045269") or ("6052335") or ("6064620") or ("6106316") or ("6116196") or ("6181486") or ("6185697") or ("6242985") or ("4255764") or ("4267584") or ("4276551") or ("4275962") or ("4307613") or ("4311018") or ("4315096") or ("4316665") or ("4322733") or ("438605") or ("4383220") or ("438665") or ("4307613") or ("4367580") or ("4383220") or ("4356673") or ("4401957") or ("44848485") or ("4452118).pn.") or ("(4467422") or ("4473976") or ("4493939") or ("4499473") or ("4515472") or ("4515471") or ("4564824") or ("4568961") or ("4528525") or ("4536741") or ("4564824") or ("4568961") or ("4572020") or ("4578645") or ("4564824") or ("4568961") or ("4572020") or ("45786455") or ("4601807") or ("4618867") or ("4572020") or ("45786455") or ("4661807") or ("4618867") or ("4572020") or ("4779623") or ("4661807") or ("4688961") or ("4572005") or ("4578645") or ("4761653") or ("478105") or ("4768098") or ("4779623") or ("4761653") or ("478150") or ("4786098") or ("4779623") or ("4780730") or ("482048") or ("4825273") or ("4855803") or ("4805123") or ("482048") or ("4825273") or ("4855803") or ("4805123") or ("4870282") or ("483701") or ("4855803") or ("4805123") or ("4870282") or ("4873660") or ("4881443).pn.")). PN. | USPAT | OR | OFF | 2005/11/02 15:10 |

| L11 | 211 | (("(4773044") or ("4440247") or ("4460534") or ("4630120") or | US-PGPUB; | OR | OFF | 2005/11/02 15:10 |
|-----|-----|--|-----------------------|---------------|-------|-----------------------------|
| | | ("5732171") or ("5910927") or ("6163283") or ("4319347") or | USPAT; | | | |
| | | ("4791615") or ("4819209") or ("4962381") or ("4965775") or | USOCR; | | | |
| | | ("5177827") or ("5243238") or ("5349670") or ("5355013") or | EPO; JPO; DERWENT: | | | |
| | | ("5406066") or ("5483500") or ("5493307") or ("5663930") or | | | | |
| | | ("5672894") or ("5748235") or ("5835062") or ("6045269") or | IBM_TDB | | | |
| | | ("6052335") or ("6064620") or ("6106316") or ("6116196") or ("6181486") or ("6185697") or ("6242985") or ("4255764") or | | | | |
| | | ("4267584") or ("4276551") or ("4275962") or ("4307613") or | | | | |
| | | ("4311018") or ("4315096") or ("4316665") or ("4322733") or | | | | |
| | | ("4338605") or ("4338634") or ("4356673") or ("4366439") or | |] | | |
| | | ("4367580") or ("4383220") or ("4382354") or ("4401957") or | | | | |
| | | ("4448485") or ("4452118).pn.") or ("(4467422") or ("4473976") | 1 | | | |
| | | or ("4493939") or ("4499473") or ("4515472") or ("4515471") or | | | | |
| | | ("4521908") or ("4521804") or ("4528525") or ("4536741") or | | | | |
| | | ("4537484") or ("4546380") or ("4554551") or ("4554550") or | | | | |
| | | ("4564824") or ("4568961") or ("4572202") or ("4578645") or | | | | |
| | | ("4586055") or ("4594823") or ("4597005") or ("4599256") or | | | | |
| | | ("4601807") or ("4603341") or ("4611195") or ("4613522") or | 1 | | | |
| | | ("4616152") or ("4618867") or ("4625278") or ("4761059") or | | | | |
| | | ("4761653") or ("4763105") or ("4768098") or ("4779623") or | | | | |
| | | ("4780730") or ("4788150") or ("4794609") or ("4805074") or | | | | |
| | | ("4805123") or ("4820048") or ("4825273") or ("4826269") or ("4833520") or ("4839821") or ("4853701") or ("4855803") or | | | | |
| | | ("4853220") of ("483922") of ("485370") of ("485370") of ("485370"). | | | | |
| | | PN. | | | | |
| L25 | 1 | (((array or second) near3 laser) and (current near2 generat\$3) | US-PGPUB; | AND | ON | 2005/11/02 15:15 |
| | | and ((current or circuit) near2 driv\$3) and ((mount\$3 or base) | USPAT; | | · · | |
| 1 | | near2 laser) and (modulat\$4 near2 (signal or beam or light)) | USOCR; | | | |
| | | and (laser near3 driv\$4)).CLM. | EPO; JPO; | | | |
| | | | DERWENT; | | | |
| | - | a an an an an an an that an dùthair a' fhealltair an | IBM_TDB | e a contra da | | |
| L17 | 14 | ((array or second) near3 laser) and (current near2 generat\$3) | US-PGPUB; | AND | ON | 2005/11/02 15:15 |
| | | and ((current or circuit) near2 driv\$3) and ((mount\$3 or base) | USPAT; | | | |
| | | near2 laser) and (modulat\$4 near2 (signal or beam or light)) | USOCR; | | | |
| | | and (laser near3 driv\$4) and "372"/38.02.ccls. | EPO; JPO; DERWENT: | | | |
| | | | IBM TDB | | | |
| L12 | 354 | ((array or second) near3 laser) and (current near4 generat\$3) | US-PGPUB; | AND | ON | 2005/11/02 15:15 |
| | | and (current near3 driv\$3) and ((mount\$3 or base or coupl\$3) | USPAT; | | | A second second |
| | | near2 laser) and (modulat\$4 near3 (signal or beam or light)) | USOCR; | | | and the state of the second |
| · | | | EPO; JPO; | | | |
| | | | DERWENT; | | · · · | |
| · . | | | IBM_TDB | | 1. | la de la contractione |

.

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|---|---------------------|---------|------------------|
| L27 | 0 | (((array or second) near3 laser) and (current near4 generat\$3) and (current near3 driv\$3) and ((mount\$3 or base or coupl\$3) near2 thermal\$4) and (modulat\$4 near3 (signal or beam or light))).CLM. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 15:16 |
| L26 | 9 | (((array or second) near3 laser) and (current near4 generat\$3) and (current near3 driv\$3) and ((mount\$3 or base or coupl\$3) near2 laser) and (modulat\$4 near3 (signal or beam or light))). CLM. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 15:16 |
| L28 | 0 | (((array or second) near3 laser) and (current near4 generat\$3) and (current near3 driv\$3) and ((mount\$3 or base or coupl\$3) near2 thermal\$4) and (modulat\$4 near3 (signal or beam or light))).CLM. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/02 15:17 |